

TRAIL ASSESSMENT FORM

Doc. #		Trail Name	Reservoir Path	Trail Type:	Narrow	Condition	Good
Route:		Ridge Path – Loop around Reservoir – Parking Lot on South Side of Chickatawbut Rd					
Recent Weather:		Overcast in the 40s, rain 24 hours ago					

TRAIL LANDMARKS	<ul style="list-style-type: none"> • Trailhead is located on South side of Chickatawbut Rd at the trailhead for Ridge Path. Trail is a narrow footpath that runs along Chickatawbut Rd and loops around the reservoir. <ul style="list-style-type: none"> • Parking (two cars plus one handicapped spot) is available at small lot off Chickatawbut Rd. • Trail starts at intersection with Ridge Path and runs along guardrail on Chickatawbut Rd. Trail starts as dirt footpath but then enters stone swale that runs along reservoir. • At 270 feet, the trail passes parking lot on Chickatawbut Rd. • At 315 feet, trail passes over sewer grate that flows under road. • Fence around reservoir starts on right at 320 feet. • At 412 feet, culvert from reservoir passes under trail. • At .13 miles, trail passes over sewer grate that flows under road. • At .19 miles, trail passes over sewer grate that flows under road. • Trail passes by a fire hydrant on the right side at .21 miles. Trail leaves stone swale and continues along fence, raised above guardrail. • Trail heads to the right at .27 miles continuing along the fence along reservoir. • Overflow culvert from reservoir passes under trail at .29 miles. • Trail passes monitoring wells at .31 and .36 miles. • At .38 miles, black plastic culvert, 18", passes R to L under trail from reservoir. • Trail heads right continuing along reservoir at .39 miles. • At .40 miles, black plastic culvert, 12" with stonework well at inflow, passes L to R under trail. • Stonewall on left of trail starts at .42 miles. • Stonewall on left of trail ends at .44 miles. • Peninsula on right of trail at .49 miles. • Trails ends at parking lot on Chickatawbut Rd at .56 miles. 		
MINOR&MAJOR PROBLEM AREAS	None		
DISTANCES TO MAJOR INTERSECTIONS	<ul style="list-style-type: none"> • Ridge Path around Reservoir to parking lot - .56 miles. 		
Report prepared by:	Bob Flagg	Assessment date:	3/26/16