TRAIL ASSESSMENT FORM

Doc. #	3019	Trail I	Name	Skyline Trail East Route 28 to Chickatawbut Road	Trail Type:	Wide - M	Condition	Good	
Route:			Route 28 – 3042-3103 – 3132 – 3144 - Chickatawbut Road						
Recent Weather:			Rain yesterday5 inches						
			Rair	This section of the Skylin across from the parking the mile north of route 93, exapproximately 3 vehicles approximately 3 vehicles at 2 approximately 3 approximat	ne Trail leaves urnout. Traille it 5. Turnoff it 5. Turnoff it 5. Trail is blaz readway at 1926. Trail is blaz readway at 1926. The tree to the refeet. Graffiti it p. It is need to the intersection if it is needed.	s from the ean ead is approparking availed with blue of feet. Need ight of the tres bootleg 30. Hawk Hill rune treadway won at 450 feet. (1) (photos to be hauled of the allevial buncing Brootles Skyline in the same tree the same tree and is appropriately	eadway when 14 intersection in the continuous into the continuous interesection in the	of a 1 (2 In of water. miles. ay. dt were at zed with Great as trail	
				Skyline leaves Braintree returns to footpath width Signage on tree notes, Sk Downed limbs need to be Outdated DCR Burn Are Bn and downed limb rem Bn at .52 miles. Treadway enters a large of 68 miles. Unnamed path leaves on	and begins as cyline Trail East removed at a placard need noval at .49 m clearing with the left at .74	scending Chi ast to St. Mor 41 miles. ds to be remo- iles. a nice large remo- miles.	ckatawbut Hi ritz Pond. oved at .44 m rock slab over	ll. iles. clook at	
			í	Sbd at .76 miles. Needs t an ineffective wb. (6-8") Trail reaches Chickatawb		·			

- surrounding the Education Center at .79 miles. Treadway from here continues to parallel the fence for .16 miles.
- Unnamed path leaves on the right at .84 miles to a nice overlook and beyond.
- Bn at .86 miles.
- Gate located in fence at .93 miles.
- Treadway turns right away from the fence at .95 miles while an unnamed path continues straight following the fence around the Education Center.
- Trail begins it's descent from Chickatawbut at .98 miles over a set of nice rock steps with retaining walls.
- Bn at 1.02 miles.
- Rwb at 1.05 miles. R to L. Needs dt on left to be effective.
- Trail descends Fenno Hill at 1.07 miles over a set of rock steps with retaining walls. Bn on steps.
- Slide Notch Path crosses at 1.1 miles. Blazed with red dots.
- Treadway passes over additional sections of small rock steps at 1.12, 1.14 and 1.17 miles.
- Treadway descends into a trail intersection over an additional set of rock steps with retaining walls at 1.18 miles. Bn at this location.
- Skyline Trail enters the intersection at intersection marker 3103 at 1.22 miles. From this intersection, the Slide Notch Path, Yellow Dot trails, Skyline and Sassaman Notch Path leave with appropriate directional signage. Note: I believe the map shows this intersection marker 3103 further east than it actually is. (2)
- Skyline leaves the intersection and begins ascending Nahanton Hill over a set of rock steps with retaining walls. Bn on steps.
- Unnamed Paths leave on left at 1.26 and 1.27 miles.
- Unnamed Path leaves on right at 1.3 miles.
- Unnamed Path leaves on left at 1.32 to a nice rock slab overlook.
- Major bn at 1.38 through 1.42 miles. Huge number small birch blowdowns. (3)
- Major similar bn as noted above at 1.44 and 1.47 miles.
- Unnamed path crosses at intersection marker 3132 at 1.5 miles. Path is road width however map only shows a small path entering on left.
- Trail ascends out of this intersection over a section of rock steps.
- Major similar bn as noted above at 1.53 through 1.57 miles.
- Major similar bn as noted above at 1.61 through 1.64 miles.
- Blazed tree down to right of trail at 1.69. Relocate blaze.
- Squamaug Path/Squamaug Notch cross at intersection marker 3144 at 1.74 miles. Squamaug Path enters on the left through an open gate at the fence surrounding the Blue Hill Reservoir. Treadway continues to parallel the fence.
- Bn at 1.79 miles.
- Sbd crosses trail at 1.8 miles. Bow saw work.
- Sbd crosses trail at 1.82 miles. Bow saw work.
- Bn at 1.9 and 1.91 miles. Sbd. Bow saw work
- Bn at 2.0 miles as treadway stops paralleling fence. Sbd. Bow saw work
- Uprooted tree crosses trail at 2.01 miles. Needs to be cut back (8").
- Sbd extending into treadway at 2.03 miles. Needs to be cut back.
- Bd crosses treadway at 2.12 miles. Needs to be cut back (8").

	-					
MINOR PROBLEM AREAS	 This section of the Skyline East ends at it's intersection with Chickatawbut Road at 2.18 miles. Granite marker at this location labeled Skyline Trail 6.7 miles. There is some minor erosion as the treadway descents to the road. Possible rwk steps to resolve. (4) (1) Water runoff from Pipeline Path and Hawk Hill running into the treadway covering the full width of the treadway with 2 inches of water. Trail is impassable. Flooding continues from the intersection at 450 feet through .16 miles. Possible extended bog bridge location. (1) (photos sle1 and sle2) (2) Skyline Trail enters the intersection at intersection marker 3103 at 1.22 miles. Note: I believe the map shows this intersection marker 3103 further east than it actually is. (2) (3) Significant bn at 1.38 through 1.42 miles. Huge number small birch blowdowns. (3) Similar significant bn at 1.44-1.47, 1.53-1.57, and 1.61-1.64 miles. Mucho Lopper work. (4) Chickatawbut Road at 2.18 miles. There is some minor erosion as the treadway descents to the road. Possible rwk steps to resolve. (4) 					
MAJOR PROBLEM AREAS	None Noted					
DISTANCES TO	Route 28 to Pipeline - 265 feet					
MAJOR INTERSECTIONS	 Route 28 to Braintree Pass and Bouncing Brook Paths at intersection marker 304235 miles. 					
	 Route 28 to Chickatawbut Hill and Education Center79 miles. Route 28 to Slide Notch Path 1.1 miles Route 28 to intersection of Slide Notch, Yellow Dot, and Sassaman Notch Paths at intersection marker 3103 1.22 miles. Route 28 to unnamed path at intersection marker 3132 1.5 miles Route 28 to Squamaug Path/Squamaug Notch at intersection marker 3144 1.74 miles. Route 28 to Chickatawbut Road 2.18 miles Ken Jones Assessment date: 2/19/2008 					
Report prepared by:	Assessment date: 2/19/2008					







Abbreviations:

ditches (dt)

Usage type: foot traffic only (H), multi-use (M)

waterbars (wb) small blowdowns (sbd)
culverts(cv) large blowdowns (lbd)
rolling dips (rd) rock work (rkw)
bridges (br) bridge building (bbd),
bog bridges (bb) culvert replacement (cr)
rock stairs (rs) trail relocation (tr),
cribbing (cb) building new trail drains

cribbing (cb) building new trail drainage (ntd) retaining walls (rw) brushing needed (bn)

brushing needed (bn) excessive erosion (ee)

leaning tree (lt)